



PLEASE NOTE THAT WE
HAVE A NUMBER OF
MODELS WITH INSTALL
VIDEOS ON GOOGLE
VIDEO. SEARCH UNDER
"WIND DEFLECTOR"

Wind Deflector

Lexus SC430 Install Guide

START BY PUTTING THE TOP DOWN.
THEN REMOVE BOTH THE COVERS
BEHIND THE REAR SEAT HEADREST.



TO REMOVE THE COVERS PULL
THE COVER UP AND BACK. BEHIND
THESE COVERS IS A CHILD SEAT
ANCHOR SYSTEM.



NEXT PLACE THE WIND DEFLECTOR SO IT SITS ON THE REAR HEAD RESTS. MAKE SURE THAT THE BLACK SNAP HOOKS ARE BEHIND THE REAR SEAT HEAD RESTS



NOW ATTACH THE BLACK SNAP HOOKS TO THE HOLE PROVIDED FROM EACH CHILD SEAT ANCHOR SYSTEM



ONCE ATTACHED THE BLACK SNAP HOOKS WILL FACE TOWARDS THE REAR OF THE CAR. PULL EACH SNAP HOOK UP TO LOCK IT IN PLACE.



ONCE YOU HAVE ATTACHED THE TWO SNAP HOOKS REPLACE THE COVERS.



NEXT PLACE THE WIND DEFLECTOR INTO THE REAR SEAT. THE NOW ATTACHED REAR STRAPS WILL SUPPORT THE WIND DEFLECTOR. THE FEMALE BUCKLE HANGS DOWN INTO THE REAR SEAT AREA



NEXT WE ARE GOING TO ATTACH THE FOUR BLACK SNAP HOOKS TO THE CHILD ANCHOR SYSTEM IN THE REAR SEAT. THE ANCHORS ARE LOCATED BETWEEN THE TOP AND BOTTOM PART OF THE SEAT. LOOK FOR THE LOGO ON THE SEAT



THE BLACK SNAP HOOKS ARE INSERTED WITH THE SNAP HOOK FACING DOWN



WITH ONE HAND PUSH DOWN ON THE BOTTOM OF THE REAR SEAT AND SLIDE THE SNAP HOOK IN AND THEN PULL BACK TO ATTACH IT TO THE ANCHOR SYSTEM. DO THIS FOR ALL FOUR STRAPS



NEXT ATTACH THE FOUR BLACK SNAP HOOKS TO THE FOUR BUCKLES ON THE WIND DEFLECTOR



THE TWO STRAPS IN THE CENTER OF THE BACK SEAT ATTACH TO THE FEMALE BUCKLE AT THE BACK OF THE WIND DEFLECTOR. THE TWO OUTSIDE STRAPS ATTACH TO THE BUCKLES ON THE SIDE OF THE WIND DEFLECTOR

